

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1669	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:19
L2	2091	709/201.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:19
L3	1399	709/200.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:19
L4	3973	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:20
L5	421	717/108.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:20
L6	580	717/116,165.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:20
L7	0	707/103.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:20
L8	1512	719/315-317.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:20
L9	10464	709/201-204.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:20
L10	26949	709/217-231.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:21
L11	1738	719/310,330-332.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:21
L12	1585	718/100.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:21
L13	38094	l1 or l2 or l3 or l4 or l5 or l6 or l7 or l8 or l9 or l10 or l11 or l12	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:21
L14	90	l13 and protocol near5 object near5 handl\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/09 12:22
S1	1	("6369840").PN.	USPAT; USOCR	OR	OFF	2004/08/28 11:02

## EAST Search History

S2	2	(IOR or (interoperable adj object adj reference)) same (protocol near2 select\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:25
S3	17	(IOR or (interoperable adj object adj reference)) and (protocol near2 select\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 11:51
S4	38	(select or selected or selection) near8 protocol near8 handle	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 11:58
S5	10	(select or selected or selection) near8 protocol near8 bid\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 12:16
S6	112	(select or selected or selection) near8 protocol near8 priorit\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 12:25
S7	1	(select or selected or selection) near8 protocol near8 priorit\$3 and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 12:18
S8	8	protocol near8 priorit\$3 and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 12:21
S9	10	protocol near8 pars\$3 and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 12:22
S10	8	(select or selected or selection) near8 protocol same ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 12:27
S11	87	(select or selected or selection) near8 protocol and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 13:19
S12	73	((select or selected or selection) near8 protocol and ORB) not (((select or selected or selection) near8 protocol same ORB) or (protocol near8 pars\$3 and ORB) or (protocol near8 priorit\$3 and ORB) or ((select or selected or selection) near8 protocol near8 priorit\$3 and ORB) or ((select or selected or selection) near8 protocol near8 priorit\$3) or ((select or selected or selection) near8 protocol near8 bid\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 12:27
S13	0	nataranjan-vijaykumar\$.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 14:37
S14	0	vijaykumar-nataranjan\$.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 14:37

## EAST Search History

S15	3	kasaravalli-vishwanath\$.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 14:38
S16	1	borland adj software adj corporation.as.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 14:38
S17	14	borland adj software adj corporation.as.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 14:39
S18	2	(borland adj software adj corporation.as.) and IOR	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 14:47
S19	101	object near8 handle near8 protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:32
S20	27	object near2 handle near8 protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:33
S21	88	protocol near2 select\$3 near8 setting	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:33
S22	0	protocol near2 select\$3 near8 setting and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:34
S23	0	protocol near2 select\$3 near8 setting and IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:34
S24	37	set\$4 near8 IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:38
S25	0	user near8 IIOP near8 select\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:38
S26	14	user near8 IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:43
S27	0	preference near8 IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:43
S28	378	preference near8 protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:44
S29	629	protocol with preference	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:45

## EAST Search History

S30	4	protocol with preference and IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:47
S31	12	protocol with selection and IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:58
S32	62	protocol with reliable and IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:59
S33	0	protocol with reliable with select\$3 and IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:59
S34	66	protocol with reliable with select\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 15:59
S35	46	protocol near8 reliable with select\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:00
S36	0	protocol near8 reliable with select\$3 and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:00
S37	1	set\$3 with HTTP with IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:02
S38	5	configur\$5 with HTTP with IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:03
S39	0	user with select\$4 with IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:03
S40	1	user with configur\$5 with IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:03
S41	951	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:05
S42	7	709/228.ccls. and IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:12
S43	150	709/228.ccls. and (select\$3 with protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:13
S44	1	709/228.ccls. and (select\$3 with protocol) and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:19

## EAST Search History

S45	16	709/228.ccls. and (select\$3 with protocol with object)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:13
S46	2	709/228.ccls. and (select\$3 with protocol) and java and RPC	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:19
S47	1385	(IOR or (interoperable adj object adj reference))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:26
S48	432	(IOR or (interoperable adj object adj reference)) and protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:26
S49	57	(IOR or (interoperable adj object adj reference)) and protocol and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:26
S50	48	(IOR or (interoperable adj object adj reference)) and protocol and ORB and (setting or preference or configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:10
S51	8	((IOR or (interoperable adj object adj reference)) and protocol and ORB and (setting or preference or configuration)) and (user near8 (setting or preference or configuration))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:28
S52	1	("6633923").PN.	USPAT; USOCR	OR	OFF	2004/02/22 14:00
S53	51	IOR and ((identif\$5 or select\$3 or profile) near8 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:02
S54	4	(IOR and ((identif\$5 or select\$3 or profile) near8 protocol)) and (protocol near8 priorit\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:04
S55	175	browser near8 protocol near8 (select\$3 or identif\$5 or profile)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:04
S56	3	(browser near8 protocol near8 (select\$3 or identif\$5 or profile)) and IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:10
S57	0	(browser near8 protocol near8 (select\$3 or identif\$5 or profile)) and IOR	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:10
S58	12	(interoperable adj object adj reference) and (protocol near8 browser)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:36
S59	2	(interoperable adj object adj reference) and (protocol near8 priorit\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:17

## EAST Search History

S60	1	protocol same priorit\$3 same pars\$3 same browser	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:19
S61	11	protocol same priorit\$3 same pars\$3 and browser	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:19
S62	1000	protocol same profile and browser	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:19
S63	46	protocol same priorit\$3 same pars\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:19
S64	2	protocol near8 priorit\$3 near8 pars\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:20
S65	29	protocol near8 select\$3 near8 pars\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:24
S66	57	protocol near8 select\$3 near8 preference	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:33
S67	80	protocol near8 select\$3 near8 optimal	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:34
S68	0	protocol near8 select\$3 near8 optimal same browser	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:36
S69	24	protocol same optimal same browser	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:36
S70	0	protocol same optimal same browser and IOR	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:36
S71	0	(interoperable adj object adj reference) and (protocol near8 optimal)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:36
S72	3	(interoperable adj object adj reference) and (protocol near8 reliable)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:37
S73	61	IIOP and (protocol near8 reliable)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:37
S74	8	IIOP and (protocol near8 reliable same select\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:40

## EAST Search History

S75	9	(DCOM or RMI) and (protocol near8 reliable same select\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:41
S76	138	(DCOM or RMI) and (protocol near8 select\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:41
S77	28	(DCOM or RMI) and (protocol near8 select\$3 near8 user)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:50
S78	36	(DCOM or RMI or IIOP or IOR or Javabean or (Java adj bean) or (XML adj object)) near8 protocol near8 select\$3 near8 user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:55
S79	0	(DCOM or RMI or IIOP or IOR or Javabean or (Java adj bean) or (XML adj object)) near8 protocol near8 select\$3 near8 user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 14:55
S80	19	(DCOM or RMI or IIOP or IOR or Javabean or (Java adj bean) or (XML adj object)) near8 protocol near8 (select\$3 or identif\$5 or profile)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 15:22
S81	0	(DCOM or RMI or IIOP or IOR or Javabean or (Java adj bean) or (XML adj object)) near8 priorit\$3 near8 (select\$3 or identif\$5 or profile)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 15:22
S82	1	(DCOM or RMI or IIOP or IOR or Javabean or (Java adj bean) or (XML adj object)) near8 (select\$3 or identif\$5 or profile) same priorit\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 15:33
S83	36	(DCOM or RMI or IIOP or IOR or Javabean or (Java adj bean) or (XML adj object)) near8 (select\$3 or identif\$5 or profile) same (bid\$3 or disabl\$3 or range or high\$2 or low\$2 or preference or pars\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 15:24
S84	3	(DCOM or RMI or IIOP or IOR or Javabean or (Java adj bean) or (XML adj object)) near8 (select\$3 or identif\$5 or profile) and (protocol near8 priorit\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 15:33
S85	28	(DCOM or RMI or IIOP or IOR or Javabean or (Java adj bean) or (XML adj object)) and (protocol near8 priorit\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 15:58

## EAST Search History

S86	220	(DCOM or RMI or IIOP or IOR or Javabeen or (Java adj bean) or (XML adj object)) and (protocol near8 low\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 15:58
S87	191	(DCOM or RMI or IIOP or Javabeen or (Java adj bean) or (XML adj object)) and (protocol near8 low\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 15:58
S88	3	(DCOM or RMI or IIOP or Javabeen or (Java adj bean) or (XML adj object)) and (protocol near8 low\$3) same priorit\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 15:59
S89	22	709/228.ccls. and protocol near8 priorit\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:02
S90	9	709/228.ccls. and protocol near8 preference	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:04
S91	378	protocol near8 preference	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:04
S92	369	(protocol near8 preference) not (709/228.ccls. and protocol near8 preference)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:04
S93	92	((protocol near8 preference) not (709/228.ccls. and protocol near8 preference)) and protocol near8 preference near8 user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:04
S94	10	((protocol near8 preference) not (709/228.ccls. and protocol near8 preference)) and protocol near8 preference near8 user same browser	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:08
S95	5	((protocol near8 preference) not (709/228.ccls. and protocol near8 preference)) and protocol near8 preference near8 user near8 enabl\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:10
S96	0	((protocol near8 preference) not (709/228.ccls. and protocol near8 preference)) and protocol near8 preference near8 disabl\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:10
S97	3	((protocol near8 preference) not (709/228.ccls. and protocol near8 preference)) and protocol near8 preference same disabl\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:11
S98	101	((protocol near8 preference) not (709/228.ccls. and protocol near8 preference)) and protocol near8 preference same select\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:11



## EAST Search History

S99	52	((protocol near8 preference) not (709/228.ccls. and protocol near8 preference)) and protocol near8 preference near8 select\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:15
S10 0	0	((protocol near8 preference) not (709/228.ccls. and protocol near8 preference)) and protocol near8 browser near8 set\$5 near8 (ascend\$3 or descend\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:16
S10 1	0	protocol near8 browser near8 set\$5 near8 (ascend\$3 or descend\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:16
S10 2	89	protocol near8 browser near8 set\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:16
S10 3	12	protocol near8 browser near8 settings	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:17
S10 4	75	protocol same browser near8 settings	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:17
S10 5	3	((browser near8 protocol near8 (select\$3 or identif\$5 or profile)) and IIOP) not (protocol near8 browser near8 settings)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:18
S10 6	63	(protocol same browser near8 settings) not (protocol near8 browser near8 settings)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:18
S10 7	30	(protocol same browser near8 settings) not (protocol near8 browser near8 settings) and @ad<"20001214"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:24
S10 8	3	SSL near8 settings near8 level	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:26
S10 9	6	SSL near8 settings same level	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:25
S11 0	3	(SSL near8 settings same level) not (SSL near8 settings near8 level)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:25
S11 1	380	SSL near8 level	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:26
S11 2	105	SSL near8 level near8 protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:32

## EAST Search History

S11 3	2	SSL near8 level near8 protocol same settings	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:30
S11 4	12	security near8 level near8 protocol same settings	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:30
S11 5	4	SSL near8 settings near8 protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:32
S11 6	15	SSL near8 settings same protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:33
S11 7	434499	SSL near8 settings same browser or window	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:34
S11 8	2	SSL near8 settings same (browser or window)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:35
S11 9	0	SSL near8 settings near user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:36
S12 0	0	SSL near8 profile near user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:36
S12 1	0	SSL near8 profile near8 user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:36
S12 2	0	SSL near8 preference near8 user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 16:36
S12 3	18	SSL same preference near8 user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 17:00
S12 4	0	netscape adj browser and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 17:00
S12 5	68	netscape adj browser and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 17:00
S12 6	34	netscape adj browser and (SSL same level)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 17:00
S12 7	0	netscape adj browser and (SSL same level same disable)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 17:00

## EAST Search History

S12 8	0	netscape adj browser and (SSL same disable)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 17:00
S12 9	31	netscape adj browser and (SSL same level) and disabl\$2	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/22 17:55
S13 0	1	("6345361").PN.	USPAT; USOCR	OR	OFF	2004/02/22 18:17
S13 1	0	(configure or configuration) near8 SSL near8 browser	USPAT	OR	OFF	2004/02/22 18:17
S13 2	1	(configure or configuration) with SSL with browser	USPAT	OR	OFF	2004/02/22 18:18
S13 3	0	(settings) with SSL with browser	USPAT	OR	OFF	2004/02/22 18:18
S13 4	0	(settings) with SSL with browser	USPAT	OR	ON	2004/02/22 18:18
S13 5	1	(settings) with SSL with browser	US-PGPUB; USPAT	OR	ON	2004/02/22 18:22
S13 6	5	SSL same browser and microsoft\$.as.	US-PGPUB; USPAT	OR	ON	2004/02/22 18:24
S13 7	18	SSL and browser and microsoft\$.as.	US-PGPUB; USPAT	OR	ON	2004/02/22 18:34
S13 8	37	SSL near8 window	US-PGPUB; USPAT	OR	ON	2004/02/22 18:36
S13 9	123	SSL near8 configur\$5	US-PGPUB; USPAT	OR	ON	2004/02/22 18:37
S14 0	27	SSL near8 configur\$5 and @ad<"20001214"	US-PGPUB; USPAT	OR	ON	2004/02/22 18:40
S14 1	22	SSL near8 settings and @ad<"20001214"	US-PGPUB; USPAT	OR	ON	2004/02/22 18:40
S14 2	9	SSL near8 settings and protocol and @ad<"20001214"	US-PGPUB; USPAT	OR	ON	2004/02/22 18:51
S14 3	1	("6345361").PN.	USPAT; USOCR	OR	OFF	2004/02/22 18:51
S14 4	375	(DCOM or RMI or IIOP or IOR or Javabean or (Java adj bean) or (XML ajd object)) same (protocol near8 value)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:01
S14 5	2	IOR and ORB and SSL same (protocol near8 value)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:03
S14 6	1	IOR and ORB and SSL same (protocol near8 bid)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:04

## EAST Search History

S14 7	1	IOR and ORB and SSL same (protocol near8 bid\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:04
S14 8	150	protocol near8 bid\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:04
S14 9	12	protocol near8 bid\$4 near8 value	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:06
S15 0	73	protocol near8 priority near8 value	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:12
S15 1	1	(protocol near4 priority near4 value) and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:06
S15 2	2	(protocol near4 priority near4 value) and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:08
S15 3	352	SSL and (protocol near8 value)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:08
S15 4	37	protocol near4 priority near4 value	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:09
S15 5	2	protocol near5 value near5 priority and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:13
S15 6	1	protocol near5 range near5 priority and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:14
S15 7	34	protocol near5 priority and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:15

## EAST Search History

S15 8	34	((US-6094485-\$ or US-6473794-\$ or US-6519571-\$ or US-6536037-\$ or US-6606744-\$ or US-6671818-\$ or US-6615166-\$ or US-6782403-\$ or US-6721713-\$).did. or (US-20030046396-\$ or US-20030037033-\$ or US-20030126233-\$ or US-20030188200-\$ or US-20020174227-\$ or US-20030069973-\$ or US-20030212779-\$ or US-20020194251-\$ or US-20020095400-\$ or US-20020049841-\$ or US-20020049608-\$ or US-20010023451-\$ or US-20020059274-\$ or US-20020161848-\$ or US-20020152305-\$ or US-20020162026-\$ or US-20020120741-\$ or US-20020133598-\$ or US-20040107125-\$ or US-20040064351-\$ or US-20030236745-\$ or US-20040123242-\$ or US-20040133876-\$ or US-20020078211-\$ or US-20020065864-\$).did.) and protocol near5 priority	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:20
S15 9	655	protocol near5 level and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:20
S16 0	6	protocol near5 level and SSL and IOR	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:26
S16 1	1	protocol near5 range and SSL and IOR	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:26
S16 2	5	protocol near5 value and SSL and IOR	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:28
S16 3	21	IRO near5 value or (IORvalue\$5) and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:31
S16 4	1	((IRO near5 value) or (IORvalue\$5)) and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:32

## EAST Search History

S16 5	7	((IOR same value) or (IORvalue\$5)) and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:38
S16 6	232	((IOR same value) or (IORvalue\$5))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:38
S16 7	3	((IOR near3 value) or (IORvalue\$5)) and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:44
S16 8	31	((IOR near3 value) or (IORvalue\$5))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:47
S16 9	135	((protocol near3 value) and SSL)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:48
S17 0	4	((protocol near3 value) same SSL)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:53
S17 1	4	((TOS near3 value) and SSL)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 05:51
S17 2	11	((protocol near8 value) same SSL)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:00
S17 3	4	(priority near5 SSL)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:02
S17 4	26	(range near5 SSL)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:03
S17 5	319	(level near5 SSL)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:03
S17 6	37	(level near5 SSL) and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:06
S17 7	0	(selection near5 SSL) and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:06
S17 8	4	(select\$3 near5 SSL) and ORB	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:06
S17 9	1	(level near5 SSL) and IOR	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:13

## EAST Search History

S18 0	1	((IRO same value) or (IORvalue\$5)) and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:21
S18 1	1	("20030023577").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/28 06:21
S18 2	0	java adj visibroker	US-PGPUB; USPAT	OR	OFF	2004/08/28 06:21
S18 3	0	IROValue	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:21
S18 4	1	IORValue	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:22
S18 5	5	IOR adj Value	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:25
S18 6	1457	"????IOR???"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 06:25
S18 7	2	"????IOR???" near2 value and SSL	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 08:41
S18 8	5	IDL near8 IOR	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 09:01
S18 9	19	Visibroker same java	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 09:02
S19 0	4	(Visibroker same java ) and IOR	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/28 11:01
S19 1	7	709/228.ccls. and IIOP	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/02/21 16:04
S19 8	1	("6766335").PN.	USPAT	OR	OFF	2005/08/22 06:40
S19 9	1	("6453320").PN.	USPAT	OR	OFF	2005/08/22 06:40
S20 0	1	("6633923").PN.	USPAT	OR	OFF	2005/08/22 06:43
S20 1	0	("20030039237").PN.	USPAT	OR	OFF	2005/08/22 06:43
S20 2	1	("20030039237").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 06:44

## EAST Search History

S20 3	1	("6847992").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 06:45
S20 4	1	("6785229").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 06:46
S20 5	1	("20030214943").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 06:46
S20 6	1	("20030105723").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 06:47
S20 7	1	("5862325").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 06:47





USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☒ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **object handle protocol priority**

Found 2,310 of 176,279

 Sort results  
by  
Display  
results



[Save results to a Binder](#)

[Search Tips](#)

[Open results in a new window](#)
[Try an Advanced Search](#)  
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Perfecting preemption threshold scheduling for object-oriented real-time system design: from the perspective of real-time synchronization](#)

Saehwa Kim, Seongsoo Hong, Tae-Hyung Kim

 June 2002 **ACM SIGPLAN Notices , Proceedings of the joint conference on Languages, compilers and tools for embedded systems: software and compilers for embedded systems LCTES/SCOPES '02**, Volume 37 Issue 7

Publisher: ACM Press

 Full text available: [pdf\(380.92 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In spite of the proliferation of object-oriented design methodologies in contemporary software development, their application to real-time embedded systems has been limited because of the practitioner's conservative attitude toward handling timing constraints. In fact, this conservative attitude is well-grounded because traditional priority-based scheduling techniques cannot be straightforwardly integrated into them. The automated implementation from the object-oriented real-time designs usually ...

**Keywords:** object-oriented real-time system design, preemption threshold scheduling, priority ceiling protocol, priority inheritance protocols, real-time synchronization

### 2 [ARTS: a distributed real-time kernel](#)

H. Tokuda, C. W. Mercer

 July 1989 **ACM SIGOPS Operating Systems Review**, Volume 23 Issue 3

Publisher: ACM Press

 Full text available: [pdf\(1.50 MB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

ARTS is a distributed real-time operating system designed for a real-time systems testbed being developed at Carnegie Mellon University. The objective of the testbed is to develop and verify advanced real-time computing technologies for a distributed environment. The testbed consists of a set of SUN3 workstations connected by a real-time network based on IEEE 802.5 Token Ring and Ethernet. The goal of the ARTS Kernel is not to produce simply a fast real-time executive, but rather to provide users ...

### 3 [The design and performance of a pluggable protocols framework for real-time distributed object computing middleware](#)

Carlos O'Ryan, Fred Kuhns, Douglas C. Schmidt, Ossama Othman, Jeff Parsons

 April 2000 **IFIP/ACM International Conference on Distributed systems platforms**

Publisher: Springer-Verlag New York, Inc.

 Full text available: [pdf\(231.64 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

*To be an effective platform for performance-sensitive real-time and embedded applications, off-the-shelf CORBA middleware must preserve the communication-layer*

*quality of service (QoS) properties of applications end-to-end. However, the standard CORBA GIOP/HOP interoperability protocols are not well suited for applications that cannot tolerate the message footprint size, latency, and jitter associated with general-purpose messaging and transport protocols. It is essential, therefore, to de ...*

#### 4 A new model for handling input



Brad A. Myers

July 1990 **ACM Transactions on Information Systems (TOIS)**, Volume 8 Issue 3

**Publisher:** ACM Press

Full text available: pdf(2.44 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Although there has been important progress in models and packages for the output of graphics to computer screens, there has been little change in the way that input from the mouse, keyboard, and other input devices is handled. New graphics standards are still using a fifteen-year-old model even though it is widely accepted as inadequate, and most modern window managers simply return a stream of low-level, device-dependent input events. This paper presents a ...

#### 5 A tool for simulation and fast prototyping of embedded control systems



Luigi Palopoli, Guiseppe Lipari, Luca Abeni, Marco Di Natale, Paolo Ancilotti, Fabio Conticelli  
August 2001 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN workshop on**

**Languages, compilers and tools for embedded systems LCTES '01 ,  
Proceedings of the 2001 ACM SIGPLAN workshop on Optimization of  
middleware and distributed systems OM '01**, Volume 36 Issue 8

**Publisher:** ACM Press

Full text available: pdf(231.02 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a set of C++ libraries, called RTSIM, aimed at realizing a joint simulation of a continuous plant and of a real-time embedded controller. The libraries permit a separate specification of the functional behaviour of the controller and of the software platform to be used for its deployment. In particular, it is possible to provide an accurate modeling of the concurrent architecture of the control tasks and of the run-time support offered by the operating system for the real- ...

#### 6 Towards a real-time distributed systems annex in Ada



José Javier Guitiérrez García, Michael González Harbour

March 2001 **ACM SIGAda Ada Letters , Proceedings of the 10th international  
workshop on Real-time Ada workshop IRTAW '00**, Volume XXI Issue 1

**Publisher:** ACM Press

Full text available: pdf(355.29 KB)

Additional Information: [full citation](#), [abstract](#), [citations](#)

In this paper we address the problem of combining two issues that are standardized separately in two Ada 95 annexes: Real-Time Systems (Annex D) and Distributed Systems (Annex E). With these annexes it is possible to build applications with real-time requirements, or alternatively distributed applications; but real-time distributed applications are not directly supported. In this paper we propose extensions to the Distributed Systems Annex that would provide support for developing distributed re ...

**Keywords:** Ada, Ada distributed systems annex, distributed systems, priority optimization, real-time

#### 7 Ravenscar-Java: a high integrity profile for real-time Java



Jagun Kwon, Andy Wellings, Steve King

November 2002 **Proceedings of the 2002 joint ACM-ISCOPE conference on Java  
Grande**

**Publisher:** ACM Press

Full text available: pdf(175.79 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

For many, Java is the antithesis of a high integrity programming language. Its combination of object-oriented programming features, its automatic garbage collection, and its poor support for real-time multi-threading are all seen as particular impediments. The Real-Time Specification for Java has introduced many new features that help in the real-time domain. However, the expressive power of these features means that very complex programming models can be created, necessitating complexity in the ...

**Keywords:** high integrity systems, profile, real-time Java

## 8 Outstanding language (session summary)



Offer Pazy, Mike Kamrad

October 1997 **ACM SIGAda Ada Letters , Proceedings of the eighth international workshop on Real-Time Ada IRTAW '97**, Volume XVII Issue 5

**Publisher:** ACM Press

Full text available: pdf(362.34 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

To discuss any outstanding issues that the real-time community needs to recognize.

## 9 DROL: an object-oriented programming language for distributed real-time systems



Kazunori Takashio, Mario Tokoro

October 1992 **ACM SIGPLAN Notices , conference proceedings on Object-oriented programming systems, languages, and applications OOPSLA '92**, Volume 27 Issue 10

**Publisher:** ACM Press

Full text available: pdf(2.18 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

## 10 Workshop on web engineering: Patterns for web applications



Diego Bonura, Rosario Culmone, Emanuela Merelli

July 2002 **Proceedings of the 14th international conference on Software engineering and knowledge engineering SEKE '02**

**Publisher:** ACM Press

Full text available: pdf(101.20 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper presents the preliminary results achieved in introducing a new formalism into the Web business logic layer. New useful and consistent patterns have been defined to support the modelling phase of web applications. The innovation in the use of patterns is extremely important when concepts like solidity, stability and reuse are crucial for the application design. The proposed patterns are graphically modelled using the Unified Modelling Language and formalized using the Object Constraint ...

**Keywords:** UML, business logic, design pattern, pattern, web application

## 11 Technical correspondence: Analysis of the limitations of multiple client handling in a Java server environment



Simon Beloglavec, Marjan Heričko, Matjaž B. Jurič, Ivan Rozman

April 2005 **ACM SIGPLAN Notices**, Volume 40 Issue 4

**Publisher:** ACM Press

Full text available: pdf(6.09 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A server infrastructure in web servers, message servers and other parallel systems use a variation of two software architectures for providing concurrency: threaded or event-driven. This paper analyzes the performance limitations of concurrent applications implemented in Java. Both architectures have been evaluated and compared with various design patterns, which combine the best practices from both architectures. For each architecture the suitability for handling a large volume of client requests ...

**Keywords:** Java networking, event-driven server, threaded server

## 12 LegionFS: a secure and scalable file system supporting cross-domain high-performance applications



Brian S. White, Michael Walker, Marty Humphrey, Andrew S. Grimshaw

November 2001 **Proceedings of the 2001 ACM/IEEE conference on Supercomputing (CDROM)**

**Publisher:** ACM Press

Full text available: pdf(499.88 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Realizing that current file systems can not cope with the diverse requirements of wide-area collaborations, researchers have developed data access facilities to meet their needs. Recent work has focused on comprehensive data access architectures. In order to fulfill the evolving requirements in this environment, we suggest a more fully-integrated architecture built upon the fundamental tenets of naming, security, scalability, extensibility, and adaptability. These form the underpinning of the Le ...

## 13 Opportunistic scheduling in a constraint-rich world



David Johnstone, Steven Bradley

April 2005 **ACM SIGBED Review**, Volume 2 Issue 2

**Publisher:** ACM Press

Full text available: pdf(51.20 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The latest planners and schedulers allow expressive domain modelling and problem definition, particularly with respect to the inclusion of constrained resource usage and inter-task dependencies. This increased complexity removes the ability to guarantee schedulability of a problem at run-time. In hard real-time systems, where 'hard' emphasizes the critical nature of meeting task deadlines, the estimated worst-case execution time is used in the task representation. If a solely static framework is u ...

## 14 Customization of object request brokers by application specific policies

Bo Nørregård Jørgensen, Eddy Truyen, Frank Matthijs, Wouter Joosen

April 2000 **IFIP/ACM International Conference on Distributed systems platforms**

**Publisher:** Springer-Verlag New York, Inc.

Full text available: pdf(160.32 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper presents an architectural framework for customizing Object Request Broker (ORB) implementations to application-specific preferences for various non-functional requirements. ORB implementations are built by reusing a domain-specific component-based architecture that offers support for one or more non-functional requirements. The domain-specific architecture provides the mechanism that allows the ORB to reconfigure its own implementation at run-time on the basis of application-specific ...

## 15 Scheduling real-time transactions: a performance evaluation



Robert K. Abbott, Hector Garcia-Molina

September 1992 **ACM Transactions on Database Systems (TODS)**, Volume 17 Issue 3

**Publisher:** ACM Press

Full text available: pdf(2.93 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)

**Keywords:** deadlines, locking protocols, real-time systems

## 16 A message-based real-time model by object-oriented technique



Jianmin Hou, Xuandong Li, Xiacong Fan, Guoliang Zheng

July 1997 **ACM SIGOPS Operating Systems Review**, Volume 31 Issue 3

**Publisher:** ACM Press

Full text available:  [pdf\(320.78 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

This paper presents the motivation for using object-oriented technique to construct a message-based model for real-time operating systems. It introduces the components of the model and its running mechanism. This model chooses the preempt schedule policy and encapsulates priority with message transmitted between objects. The model is priority-driven and can avoid priority inversion.

**Keywords:** message, model, object-oriented, priority, real-time

## 17 Ada packages and distributed systems



Warren H. Jessop  
February 1982 **ACM SIGPLAN Notices**, Volume 17 Issue 2

**Publisher:** ACM Press

Full text available:  [pdf\(830.33 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#)

## 18 Application-defined scheduling in Ada



Mario Aldea Rivas, Michael González Harbour  
September 2003 **ACM SIGAda Ada Letters , Proceedings of the 12th international workshop on Real-time Ada IRTAW '03**, Volume XXIII Issue 4

**Publisher:** ACM Press

Full text available:  [pdf\(998.69 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

This paper is a proposal for an application program interface (API) that would enable Ada applications to use application-defined scheduling algorithms in a way compatible with the scheduling model of the Ada 95 Real-Time Systems Annex. With this API, several application-defined schedulers, implemented by extending a tagged type, can coexist in the system in a predictable way together with their scheduled tasks, and with regular fixed priority tasks directly scheduled by the run-time system. Tas ...


**Keywords:** Ada 95, application-defined schedulers, protected objects, real-time systems, scheduling, stack resource policy

## 19 Embedded UML: a merger of real-time UML and co-design



Grant Martin, Luciano Lavagno, Jean Louis-Guerin  
April 2001 **Proceedings of the ninth international symposium on Hardware/software codesign**

**Publisher:** ACM Press

Full text available:  [pdf\(529.86 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


In this paper, we present a proposal for a UML profile called 'Embedded UML'. Embedded UML represents a synthesis of various ideas in the real-time UML community, and concepts drawn from the Hardware-Software co-design field. Embedded UML first selects from among the competing real-time UML proposals, the set of ideas which best allow specification and analysis of mixed HW-SW systems. It then adds the necessary concept of underlying deployment architecture that UML currently lacks in complete ...

**Keywords:** HW-SW co-design, UML, embedded systems, function-architecture co-design, platforms, real-time systems

## 20 Error spreading: a perception-driven approach to handling error in continuous media streaming

Srivatsan Varadarajan, Hung Q. Ngo, Jaideep Srivastava  
February 2002 **IEEE/ACM Transactions on Networking (TON)**, Volume 10 Issue 1

**Publisher:** IEEE Press

Full text available:  pdf(377.04 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

With the growing popularity of the Internet, there is increasing interest in using it for audio and video transmission. Perceptual studies of audio and video viewing have shown that viewers find bursty losses, mostly caused by congestion, to be the most annoying disturbance, and hence these are critical issues to be addressed for continuous media streaming applications. Classical error handling techniques have mostly been geared toward ensuring that the transmission is correct, with no attention ...

**Keywords:** Bursty error, error spreading, multimedia

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "( ( object&lt;in&gt;metadata ) &lt;and&gt; ( handle&lt;in&gt;metadata ) )&lt;and&gt; ( protocol&lt;i..."

Your search matched 128 of 1348795 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

 
☒ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

[Select All](#) [Deselect All](#)
View: [1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)

- 1. Cooperation and deadlock-handling for an object-sorting task in a multi-agent robotic system**  
 Fang-Chang Lin; Hsu, J.Y.-J.;  
[Robotics and Automation, 1995. Proceedings., 1995 IEEE International Conference on](#)  
 Volume 3, 21-27 May 1995 Page(s):2580 - 2585 vol.3  
 Digital Object Identifier 10.1109/ROBOT.1995.525646  
[AbstractPlus](#) | Full Text: [PDF\(584 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 2. Object-oriented communication structures for multimedia data transport**  
 Ravindran, K.; Steinmetz, R.P.;  
[Selected Areas in Communications, IEEE Journal on](#)  
 Volume 14, Issue 7, Sept. 1996 Page(s):1360 - 1375  
 Digital Object Identifier 10.1109/49.536485  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1540 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- 3. Call party handling using the connection view state approach: a foundation for intelligent control of multiparty calls**  
 O'Reilly-Roche, M.;  
[Communications Magazine, IEEE](#)  
 Volume 36, Issue 6, June 1998 Page(s):60 - 66  
 Digital Object Identifier 10.1109/35.685350  
[AbstractPlus](#) | Full Text: [PDF\(756 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- 4. Small world overlay P2P networks**  
 Hui, K.Y.K.; Lui, J.C.S.; Yau, D.K.Y.;  
[Quality of Service, 2004. IWQOS 2004. Twelfth IEEE International Workshop on](#)  
 7-9 June 2004 Page(s):201 - 210  
 Digital Object Identifier 10.1109/IWQOS.2004.1309383  
[AbstractPlus](#) | Full Text: [PDF\(343 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 5. Multi layer video object database based on interactive annotation and its application**  
 Yatabe, T.; Kawasaki, H.; Mo, H.; Sakauchi, M.;  
[Multimedia and Expo, 2000. ICME 2000. 2000 IEEE International Conference on](#)  
 Volume 2, 30 July-2 Aug. 2000 Page(s):911 - 914 vol.2  
 Digital Object Identifier 10.1109/ICME.2000.871507  
[AbstractPlus](#) | Full Text: [PDF\(340 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

- ☐ **6. Object-oriented design of a message handling system protocol**  
Erradey, S.; Kadoch, M.; Bochmann, G.V.;  
Electrical and Computer Engineering, 1995. Canadian Conference on  
Volume 2, 5-8 Sept. 1995 Page(s):842 - 845 vol.2  
Digital Object Identifier 10.1109/CCECE.1995.526427  
[AbstractPlus](#) | Full Text: [PDF\(400 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **7. Modeling of the XOM/XMP application programming interface (API)**  
Gee-Swee Poo; Chye-Guan Chew;  
Communications Magazine, IEEE  
Volume 34, Issue 8, Aug. 1996 Page(s):134 - 144  
Digital Object Identifier 10.1109/35.533932  
[AbstractPlus](#) | Full Text: [PDF\(2044 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
  
- ☐ **8. Modeling of a real-time distributed network management based on TMN and the TMO model**  
Moon Hae Kim; Sun-Hwa Lim; Jung-Guk Kim;  
Object-Oriented Real-Time Dependable Systems, 2003. (WORDS 2003). Proceedings of the Eighth International Workshop on  
15-17 Jan. 2003 Page(s):56 - 63  
[AbstractPlus](#) | Full Text: [PDF\(573 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **9. Looking ahead in atomic actions with exception handling**  
Romanovsky, A.;  
Reliable Distributed Systems, 2001. Proceedings. 20th IEEE Symposium on  
28-31 Oct. 2001 Page(s):142 - 151  
Digital Object Identifier 10.1109/RELDIS.2001.969768  
[AbstractPlus](#) | Full Text: [PDF\(132 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **10. Performance of mobile, single-object, replication protocols**  
Cetintemel, U.; Keleher, P.;  
Reliable Distributed Systems, 2000. SRDS-2000. Proceedings The 19th IEEE Symposium on  
16-18 Oct. 2000 Page(s):218 - 227  
Digital Object Identifier 10.1109/RELDI.2000.885409  
[AbstractPlus](#) | Full Text: [PDF\(852 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **11. An exception handling mechanism for developing dependable object-oriented software based on a meta-level approach**  
Garcia, A.F.; Beder, D.M.; Rubira, C.M.F.;  
Software Reliability Engineering, 1999. Proceedings. 10th International Symposium on  
1-4 Nov. 1999 Page(s):52 - 61  
Digital Object Identifier 10.1109/ISSRE.1999.809310  
[AbstractPlus](#) | Full Text: [PDF\(480 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **12. Two-stage transaction processing in client-server DBMSs**  
Kanitkar, V.; Delis, A.;  
High Performance Distributed Computing, 1998. Proceedings. The Seventh International Symposium on  
28-31 July 1998 Page(s):98 - 105  
Digital Object Identifier 10.1109/HPDC.1998.709961  
[AbstractPlus](#) | Full Text: [PDF\(116 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- ☐ **13. Constrain and move: a new concept to develop distributed transferring protocols**  
Ahmadabadi, M.N.; Eiji, N.;  
Robotics and Automation, 1997. Proceedings., 1997 IEEE International Conference on















Volume 3, 20-25 April 1997 Page(s):2318 - 2325 vol.3

Digital Object Identifier 10.1109/ROBOT.1997.619308

[AbstractPlus](#) | Full Text: [PDF\(888 KB\)](#) IEEE CNF

[Rights and Permissions](#)

-  **14.  $\mu$ Choices: an object-oriented multimedia operating system**  
Campbell, R.H.; See-Mong Tan;  
[Hot Topics in Operating Systems, 1995. \(HotOS-V\), Proceedings., Fifth Workshop on 4-5 May 1995](#) Page(s):90 - 94  
Digital Object Identifier 10.1109/HOTOS.1995.513461  
[AbstractPlus](#) | Full Text: [PDF\(464 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
-  **15. An object-oriented approach for replication management**  
Gourhant, Y.;  
[Management of Replicated Data, 1992., Second Workshop on the 12-13 Nov. 1992](#) Page(s):74 - 77  
Digital Object Identifier 10.1109/MRD.1992.242613  
[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
-  **16. Unification of transactions and replication in three-tier architectures based on CORBA**  
Wenbing Zhao; Moser, L.E.; Melliari-Smith, P.M.;  
[Dependable and Secure Computing, IEEE Transactions on Volume 2, Issue 1, Jan.-March 2005](#) Page(s):20 - 33  
Digital Object Identifier 10.1109/TDSC.2005.14  
[AbstractPlus](#) | Full Text: [PDF\(712 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
-  **17. SoundWorks: an object-oriented distributed system for digital sound**  
Reichbach, J.D.; Kemmerer, R.A.;  
[Computer](#)  
Volume 25, Issue 3, March 1992 Page(s):25 - 37  
Digital Object Identifier 10.1109/2.121506  
[AbstractPlus](#) | Full Text: [PDF\(1240 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
-  **18. A synchronization framework for communication of pre-orchestrated multimedia information**  
Miae Woo; Qazi, N.U.; Ghafoor, A.;  
[Network, IEEE](#)  
Volume 8, Issue 1, Jan.-Feb. 1994 Page(s):52 - 61  
Digital Object Identifier 10.1109/65.260079  
[AbstractPlus](#) | Full Text: [PDF\(2112 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
-  **19. A service acquisition mechanism for server-based heterogeneous distributed systems**  
Chang, R.N.; Ravishankar, C.V.;  
[Parallel and Distributed Systems, IEEE Transactions on Volume 5, Issue 2, Feb. 1994](#) Page(s):154 - 169  
Digital Object Identifier 10.1109/71.265943  
[AbstractPlus](#) | Full Text: [PDF\(1620 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
-  **20. Maintaining temporal consistency: pessimistic vs. optimistic concurrency control**  
Xiaohui Song; Liu, J.W.S.;  
[Knowledge and Data Engineering, IEEE Transactions on Volume 7, Issue 5, Oct. 1995](#) Page(s):786 - 796  
Digital Object Identifier 10.1109/69.469820  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1132 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

-  **21. A historical perspective of CSTA**  
Anschutz, T.A.;  
[Communications Magazine, IEEE](#)  
Volume 34, Issue 4, April 1996 Page(s):30 - 35  
Digital Object Identifier 10.1109/35.489709  
[AbstractPlus](#) | [Full Text: PDF\(1704 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **22. Java- and CORBA-based network management**  
Leppinen, M.; Pulkkinen, P.; Rautiainen, A.;  
[Computer](#)  
Volume 30, Issue 6, June 1997 Page(s):83 - 87  
Digital Object Identifier 10.1109/2.587555  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1020 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **23. Network servers and Java**  
Franco, J.;  
[Potentials, IEEE](#)  
Volume 16, Issue 4, Oct-Nov 1997 Page(s):15 - 17  
Digital Object Identifier 10.1109/45.624334  
[AbstractPlus](#) | [Full Text: PDF\(1068 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **24. Using name-based mappings to increase hit rates**  
Thaler, D.G.; Ravishankar, C.V.;  
[Networking, IEEE/ACM Transactions on](#)  
Volume 6, Issue 1, Feb. 1998 Page(s):1 - 14  
Digital Object Identifier 10.1109/90.663936  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(404 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **25. A flexible middleware for multimedia communication: design, implementation, and experience**  
Stiller, B.; Class, C.; Waldvogel, M.; Caronni, G.; Bauer, D.;  
[Selected Areas in Communications, IEEE Journal on](#)  
Volume 17, Issue 9, Sept. 1999 Page(s):1580 - 1598  
Digital Object Identifier 10.1109/49.790483  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(400 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

[View: 1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)[Advanced Search](#)  
[Preferences](#)

## Web

Results 1 - 10 of about **5,400,000** for **object handle protocol priority**. (0.57 seconds)

### RFC's

RFC3288: Using the Simple **Object Access Protocol** (SOAP) in Blocks Extensible Exchange **Protocol** ... RFC3652: **Handle System Protocol** (ver 2.1) Specification. ...  
coders.meta.net.nz/~perry/rfc/keyword.html - 977k - [Cached](#) - [Similar pages](#)

### PHPXRef 0.5 : Xaraya : Full Variable Index

... \$NumColorsInPal Definitions: 2 References: 4; **\$Object** Definitions: 3 ... **\$Priority** Definitions: 2 References: 5; \$QS Definitions: 2 References: 6 ...  
www.xaraya.com/documentation/ phpxref/\_variables/index.html - [Similar pages](#)

### Contents

Preventing Long Transactions When Logging Smart-Large-**Object** Data · Logging Process · DbSpace Logging ... How the Two-Phase Commit **Protocol Handles** Failures ...  
publib.boulder.ibm.com/infocenter/ idshelp/v10/topic/com.ibm.admin.doc/admin02.htm - 109k - [Cached](#) - [Similar pages](#)

### Title Index

[Was Simple Network Management **Protocol**. Now Historic. ... A Tagged Index **Object** for use in the Common Indexing **Protocol** · A Tangled Web: Issues of I18N, ...  
dret.net/rfc-index/titles - 977k - May 7, 2006 - [Cached](#) - [Similar pages](#)

### W3C Sample Code Library libwww HTNet Class

Each HTNet **object** is created with a **priority** which it inherits from the Request ... You can set a Net **object** to **handle** persistent connections for example ...  
www.w3.org/Library/src/HTNet.html - 22k - [Cached](#) - [Similar pages](#)

#### W3C Sample Code Library libwww Request Class

Clears all **protocol** specific information so that the request **object** can be ... The request **object** itself **handles** the list element, that is this should not ...  
www.w3.org/Library/src/HTReq.html - 45k - [Cached](#) - [Similar pages](#)  
[ [More results from www.w3.org](#) ]

### ThreeSpaceDesignProposal - DSpace Wiki

The purpose of the **protocol** layer is to translate arbitrarily formatted requests ... module to **handle** simple **object** retrieval ("ObjectRetrievalModule"). ...  
wiki.dspace.org/ThreeSpaceDesignProposal - 22k - [Cached](#) - [Similar pages](#)

### Data Pluribus

StartUpProtocol - **Handles** the start up **protocol** for the connection. Startup, Shutdown, and Steady State. The construction starts with a VatIdentity **object** ...  
www.erights.org/elib/distrib/vattp/index.html - 42k - [Cached](#) - [Similar pages](#)

### Citations: Dynamic **priority** ceiling: A concurrency control ...

Dynamic **Priority** Ceilings [4], Stack Resource **Protocol** and Minimal Stack Resource **Protocol** [3] have been designed to **handle** tasks with dynamic priorities ...  
citeseer.ist.psu.edu/context/5885/0 - 37k - [Cached](#) - [Similar pages](#)

### javax.realtime (Synchronization)

**Object**, javax.realtime.PhysicalMemoryTypeFilter) method to make the physical ... use of the **priority** ceiling emulation **protocol** (also known as the "highest ...  
www.rtsj.org/spec/javadoc/ javax/realtime/package-summary.html - 28k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ▶

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

New! Crack the Code: [Play the Da Vinci Code Quest on Google](#).

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google